

For . . .	You must demonstrate continuous compliance by . . .
5. Sources complying with the monthly average compliance alternative by using an add-on control device according to § 63.5989(d) that are the HAP constituent emission limits in Table 3 to this subpart, option 2.	Demonstrating that the monthly average HAP emissions for each monthly operating period do not exceed the HAP constituent emission limits in Table 3 to this subpart, option 2, determined according to the applicable procedures in § 63.6000(c), (d)(2) and (3), and (e) through (g).

TABLE 15 TO SUBPART XXXX OF PART 63—REQUIREMENTS FOR REPORTS

As stated in § 63.6010, you must submit each report that applies to you according to the following table:

You must submit a(n)	The report must contain . . .	You must submit the report . . .
1. Compliance report .....	<p>a. If there are no deviations from any emission limitations that apply to you, a statement that there were no deviations from the emission limitations during the reporting period. If there were no periods during which the CPMS was out-of-control as specified in § 63.8(c)(7), a statement that there were no periods during which the CPMS was out-of-control during the reporting period.</p> <p>b. If you have a deviation from any emission limitation during the reporting period at an affected source where you are not using a CPMS, the report must contain the information in § 63.6010(d). If the deviation occurred at a source where you are using a CPMS or if there were periods during which the CPMS were out-of-control as specified in § 63.8(c)(7), the report must contain the information required by § 63.5990(f)(3).</p> <p>c. If you had a startup, shutdown or malfunction during the reporting period and you took actions consistent with your startup, shutdown, and malfunction plan, the compliance report must include the information in § 63.10(d)(5)(i).</p>	<p>Semiannually according to the requirements in § 63.6010(b), unless you meet the requirements for annual reporting in § 63.6010(f).</p> <p>Semiannually according to the requirements in § 63.6010(b), unless you meet the requirements for annual reporting in § 63.6010(f).</p> <p>Semiannually according to the requirements in § 63.6010(b), unless you meet the requirements for annual reporting in § 63.6010(f).</p>
2. Immediate startup, shutdown, and malfunction report if you had a startup, shutdown, or malfunction during the reporting period that is not consistent with your startup, shutdown, and malfunction plan..	<p>a. Actions taken for the event .....</p> <p>b. The information in § 63.10(d)(5)(ii) .....</p>	<p>By fax or telephone within 2 working days after starting actions inconsistent with the plan.</p> <p>By letter within 7 working days after the end of the event unless you have made alternative arrangements with the permitting authority (§ 63.10(d)(5)(ii)).</p>

TABLE 16 TO SUBPART XXXX OF PART 63—SELECTED HAZARDOUS AIR POLLUTANTS

You must use the information listed in the following table to determine which emission limit in the HAP constituent options in Tables 1 through 3 to this subpart is applicable to you:

CAS No.	Selected hazardous air pollutants
50000 .....	Formaldehyde
51796 .....	Ethyl carbamate (Urethane)
53963 .....	2-Acetylaminofluorene
56235 .....	Carbon tetrachloride
57147 .....	1,1-Dimethyl hydrazine
57578 .....	beta-Propiolactone
58899 .....	Lindane (all isomers)
59892 .....	N-Nitrosomorpholine
60117 .....	Dimethyl aminoazobenzene
62759 .....	N-Nitrosodimethylamine
64675 .....	Diethyl sulfate
67663 .....	Chloroform
67721 .....	Hexachloroethane

Environmental Protection Agency

Pt. 63, Subpt. XXXX, Table 17

CAS No.	Selected hazardous air pollutants
71432 .....	Benzene (including benzene from gasoline)
75014 .....	Vinyl chloride
75070 .....	Acetaldehyde
75092 .....	Methylene chloride (Dichloromethane)
75218 .....	Ethylene oxide
75558 .....	1,2-Propylenimine (2-Methyl aziridine)
75569 .....	Propylene oxide
77781 .....	Dimethyl sulfate
79061 .....	Acrylamide
79447 .....	Dimethyl carbamoyl chloride
79469 .....	2-Nitropropane
88062 .....	2,4,6-Trichlorophenol
91941 .....	3,3-Dichlorobenzidene
92671 .....	4-Aminobiphenyl
92875 .....	Benzidine
95534 .....	o-Toluidine
95807 .....	2,4-Toluene diamine
96128 .....	1,2-Dibromo-3-chloropropane
96457 .....	Ethylene thiourea
98077 .....	Benzotrichloride
101144 .....	4,4-Methylene bis(2-chloroaniline)
101779 .....	4,4-Methylenedianiline
106467 .....	1,4-Dichlorobenzene(p)
106898 .....	Epichlorohydrin (1-Chloro-2,3-epoxypropane)
106934 .....	Ethylene dibromide (Dibromoethane)
106990 .....	1,3-Butadiene
107062 .....	Ethylene dichloride (1,2-Dichloroethane)
107131 .....	Acrylonitrile
107302 .....	Chloromethyl methyl ether
117817 .....	Bis(2-ethylhexyl)phthalate (DEHP)
118741 .....	Hexachlorobenzene
119904 .....	3,3-Dimethoxybenzidine
119937 .....	3,3-Dimethyl benzidine
122667 .....	1,2-Diphenylhydrazine
123911 .....	1,4-Dioxane (1,4-Diethyleneoxide)
127184 .....	Tetrachloroethylene (Perchloroethylene)
140885 .....	Ethyl acrylate
302012 .....	Hydrazine
542756 .....	1,3-Dichloropropene
542881 .....	Bis(chloromethyl)ether
680319 .....	Hexamethylphosphoramide
684935 .....	N-Nitroso-N-methylurea
1120714 .....	1,3-Propane sultone
1332214 .....	Asbestos
1336363 .....	Polychlorinated biphenyls (Aroclors)
1746016 .....	2,3,7,8-Tetrachlorodibenzo-p-dioxin
8001352 .....	Toxaphene (chlorinated camphene)
	Arsenic Compounds
	Chromium Compounds
	Coke Oven Emissions

TABLE 17 TO SUBPART XXXX OF PART 63—APPLICABILITY OF GENERAL PROVISIONS TO THIS SUBPART XXXX

As stated in § 63.6013, you must comply with the applicable General Provisions (GP) requirements according to the following table:

Citation	Subject	Brief description of applicable sections	Applicable to Subpart XXXX?	
			Using a control device	Not using a control device
§ 63.1 .....	Applicability .....	Initial applicability determination; applicability after standard established; permit requirements; extensions; notifications.	Yes .....	Yes.
§ 63.2 .....	Definitions .....	Definitions for part 63 standards .....	Yes .....	Yes.
§ 63.3 .....	Units and Abbreviations .....	Units and abbreviations for part 63 standards ..	Yes .....	Yes.
§ 63.4 .....	Prohibited Activities .....	Prohibited activities; compliance date; circumvention; severability.	Yes .....	Yes.
§ 63.5 .....	Construction/Reconstruction.	Applicability; applications; approvals .....	Yes .....	Yes.
§ 63.6(a) .....	Applicability .....	GP apply unless compliance extension; GP apply to area sources that become major.	Yes .....	Yes.